

Feruni[®]

Wood Experience

natural wood design



2022

www.feruni.com



Floor // WE02N 200x1200mm



THE EXPERIENCE OF WOOD

Wood Experience is a collection that encompasses a variety of wood species in one single collection, ranging from classic oak to nostalgic ash to elegant walnut. Every single species of this wood collection is unique in its own individualistic sense, and every design face reflects the respective wood's natural and distinct features like knots, curls and swirls.

The versatility of Wood Experience makes it an ideal selection for a plethora of interior and architecture styles, whether it is a classic, luxury or Japandi design concept.



Floor // **WE01N** 200x1200mm

ONE NATURAL FINISH

A carefully selected natural surface to portray the wood's full potential, bringing an individualistic sense of personality to every room.



5 NATURAL COLOURS

Wood Experience consists of 5 different shades for every personality: bianco, beige, tortora, rovere and walnut.

200x1200



WE01N Bianco



WE02N Beige



WE03N Tortora



WE04N Rovere



WE05N Walnut



Floor // **WE02N & WE03N** 200x1200mm

HANDCRAFTED PERFECTION

Feruni décor tiles are underlined by precision and meticulous craftsmanship to create a dazzling array of patterns to stunning effect.

278x300mm



WE01MSN

WE02MSN

WE03MSN

WE04MSN

WE05MSN



Feature Wall
WE05MSN 278x300mm

Floor
WE04N 200x1200mm

ONE VERSATILE SIZE

A standard 200x1200mm for versatile applications.



wood experience | 04

1200mm

200mm

Variants

3 Design Variants



WE01N Bianco



WE02N Beige



WE03N Tortora



WE04N Rovere



WE05N Walnut



Floor // WE04N 200x1200mm

Wood Experience

Glazed Porcelain Tiles
5 Colours
1 Size
1 Surface



Floor
WE05N
200x1200mm

COLOURS



WE01N
Bianco

WE02N
Beige


WE03N
Tortora



WE04N
Rovere

WE05N
Walnut

DECOR



278x300mm

SIZE



200x1200mm

FEATURES	APPLICATION	SURFACE
9mm Thickness Rectified V3 Moderate Variation	Wall Tile Floor Tile Min. Laying Gap, 3mm	N Natural

TECHNICAL SPECIFICATION


TYPE OF TEST	STANDARD TEST MS ISO13006	ISO STANDARD REQUIREMENT	FERUNI
Dimensions & Surface Quality			
Length & Width	ISO 10545-2	± 0.6%	± 0.3%
Thickness	ISO 10545-2	± 5.0%	± 5.0%
Straightness of Sides	ISO 10545-2	± 0.5%	± 0.2%
Rectangularity	ISO 10545-2	± 0.5%	± 0.2%
Surface Flatness			
• Centre Curvature	ISO 10545-2	± 0.5%	± 0.2%
• Edge Curvature	ISO 10545-2	± 0.5%	± 0.2%
• Warpage	ISO 10545-2	± 0.5%	± 0.2%
Surface Quality	ISO 10545-2	≥95% free from visible defect	≥95% free from visible defect
Physical Properties			
Water Absorption	ISO 10545-3	Group Bla, E ≤ 0.5%	Group Bla, E ≤ 0.5%
Breaking Strength	ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of Rupture	ISO 10545-4	Min. 35N/mm ²	Min.35N/mm ²
Surface Abrasion (PEI)	ISO 10545-7	Test Method Available	Class 3 - 4*
Thermal Shock	ISO 10545-9	Pass	No visible crack
Crazing Resistance	ISO 10545-11	Required	Fully resistant
Frost Resistance	ISO 10545-12	Required	Fully resistant
Slip Resistance	ISO 10545-17	Pendulum / Tortus / Ramp	R10
Chemical Properties			
Chemical Resistance	ISO 10545-13	Min. GB or UB	No visible effect (GA)
Stain Resistance	ISO 10545-14	Min. Class 3	Min. Class 3

* Test result upon request

PACKING LIST


sizes (mm)	pcs / ctn	ctn / plt	m ² / ctn	kg / ctn	kg / plt
200x1200	5	45	1.20	25	1125
278x300 (decor)	11	45	0.7	15	660

VARIATION GUIDE




V1

UNIFORM APPEARANCE:
Tiles have uniform shade and texture with low, minimal variation.




V2

SLIGHT VARIATION:
Tile have slight variation in shade and texture.



V3

MODERATE VARIATION:
Tiles have moderate variatic shade and texture.



V4

SUBSTANTIAL VARIATION:
Tiles have random and substantial variation in shade and texture, as such that any piece of tile may be totally different in shade to another tile.

- Slight variation in colours, shades, sizes and glaze are inherent characteristics of tiles.
- Tile images shown in this brochure are for illustration purposes. Please refer to actual tiles for final selection and confirm all specifications, colours & product availability with our Sales team, distributors, agents or dealers.
- The above tiles specification serves as a general guideline only. Different type of tiles is made to meet different performance requirements. For detail product specification kindly refer to Feruni Sales Team.

www.feruni.com

FERUNI CERAMICHE SDN BHD

No. 12, Jalan 51A/213, Seksyen 51A, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
Tel: +603 7784 7277 Fax: +603 7784 7727 Email: enquiry@feruni.com